

home-manager

2021-05-24

Was, wenn...

- Alle dotfiles an einem Ort wären

Was, wenn...

- Alle dotfiles an einem Ort wären
- in einem einheitlichen Format wären

Was, wenn...

- Alle dotfiles an einem Ort wären
- in einem einheitlichen Format wären
- und man jederzeit zwischen Revisionen wechseln könnte?

Enter home-manager

aka was wenn nixos aber für user

Man nehme:

1. Ein `~/.config/nixpkgs/home.nix`

```
1 { config, pkgs, lib, ... }:
2 {
3     programs.home-manager.enable = true;
4     home.username = "glyph";
5     home.homeDirectory = "/home/glyph";
6 }
```

Man nehme:

2. Ein Programm

```
1 { config, pkgs, lib, ... }:
2 {
3     # ...
4     programs = {
5         git = {
6             enable = true;
7             userName = "glyph";
8             userEmail = "mail@strangegly.ph"
9         };
10    };
11 }
```

Man nehme:

2. Ein Programm (auch aus anderen Dateien)

```
1 { config, pkgs, lib, ... }:
2 {
3     # ...
4     programs = {
5         termite = import ./dotfiles/termite.nix { inherit pkgs; };
6     };
7 }
```

Man nehme:

3. Einen Window Manager

```
1 { config, pkgs, lib, ... }:
2 {
3     # ...
4     xsession.windowManager.i3 = {
5         enable = true;
6         config = import ./dotfiles/i3.nix { inherit pkgs; };
7         extraConfig = "'exec i3-msg workspace 1'";
8     };
9 }
```

Man nehme:

4. Services

```
1 { config, pkgs, lib, ... }:
2 {
3     # ...
4     services = {
5         gpg-agent = {
6             enable = true;
7             enableSshSupport = true;
8         };
9     };
10 }
```

Neue Config bauen

```
1 > home-manager switch
2 these derivations will be built:
3 ...
4 building '/nix/store/5sdzrwjzxhvz2y6nfqdirr7x5q0vbwyz-home-m
5 anager-generation.drv'...
6 /nix/store/38f5b8lnd7k05dqivlvp8947yksm3xl9-home-manager-gen
7 eration
8 Starting home-manager activation
9 ...
10 Creating profile generation 11
11 Creating home file links in /home/glyph
```

Alles ist Symlinks

```
1 > ls -l ~/.config/git
2 lrwxrwxrwx 81 glyph 23 May 18:29 config -> /nix/store/...-ho
3 me-manager-files/.config/git/config
```

Alles ist Symlinks

```
1 > ls -l ~/.config/git
2 lrwxrwxrwx 81 glyph 23 May 18:29 config -> /nix/store/...-ho
3   me-manager-files/.config/git/config
4 > ls -l /nix/store/...-home-manager-files/.config/git/config
5 lrwxrwxrwx 56 root 1 Jan 1970 /nix/store/...-home-manager-
6   files/.config/git/config -> /nix/store/...-hm_gitconfig
```

Alles ist Symlinks

```
1 > ls -l ~/.config/git
2 lrwxrwxrwx 81 glyph 23 May 18:29 config -> /nix/store/...-ho
3   me-manager-files/.config/git/config
4 > ls -l /nix/store/...-home-manager-files/.config/git/config
5 lrwxrwxrwx 56 root 1 Jan 1970 /nix/store/...-home-manager-
6   files/.config/git/config -> /nix/store/...-hm_gitconfig
7 > ls -l /nix/store/...-hm_gitconfig
8 .r--r--r-- 53 root 1 Jan 1970 /nix/store/...-hm_gitconfig
```

Generationenüberblick

```
1 > home-manager generations
2 2021-05-10 16:46 : id 11 -> /nix/store/38f5b8lnd7k05dqivlvp8
3   947yksm3xl9-home-manager-generation
4 2021-05-10 16:43 : id 10 -> /nix/store/60n4i3wgvf351fkvgm4s
5   ivkqpms9kkb-home-manager-generation
6 2021-05-05 15:53 : id 9 -> /nix/store/67s3ys0ddac5l0g73gvawg
7   kz55yzw0k9-home-manager-generation
8 ...
```

Rollback

```
1 > /nix/store/...-home-manager-generation/activate
2 Starting home-manager activation
3 ...
4 Creating profile generation 12
5 Creating home file links in /home/glyph
```

Problem: Alles ist Read-Only

```
1 { config, pkgs, lib, ... }:
2 {
3     # ...
4     home.file = {
5         ".emacs.d" = {
6             source = pkgs.fetchFromGitHub {
7                 owner = "syl20bnr";
8                 repo = "spacemacs";
9                 rev = "...";
10                sha256 = "...";
11            };
12        };
13    };
14 }
```

Problem: Alles ist Read-Only

```
1 > ls -al ~/.emacs.d
2 lrwxrwxrwx 76 glyph 23 May 19:20 .emacs.d -> /nix/store/
3   ...-home-manager-files/.emacs.d
4 > ls -al ~/.emacs.d/
5 ...
6 dr-xr-xr-x 13 root 4096 Jan 1 1970 .
7 .r--r--r-- 3.2k root 1 Jan 1970 init.el
8 dr-xr-xr-x - root 1 Jan 1970 layers
9 ...
```

Problem: Alles ist Read-Only

```
1 { config, pkgs, lib, ... }:
2 {
3     # ...
4     home.file = {
5         ".emacs.d" = {
6             recursive = true;
7             source = pkgs.fetchFromGitHub {
8                 owner = "syl20bnr";
9                 repo = "spacemacs";
10                rev = "...";
11                sha256 = "...";
12            };
13        };
14    };
15 }
```

Problem: Alles ist Read-Only

```
1 > ls -al ~  
2 ...  
3 drwxr-xr-x  - glyph 23 May 19:20 .emacs.d  
4 ...  
5 > ls -l ~/.emacs.d  
6 ...  
7 lrwxrwxrwx 79 glyph 23 May 19:20 init.el -> /nix/store/...--  
8   home-manager-files/.emacs.d/init.el  
9 drwxr-xr-x  - glyph 23 May 19:20 layers  
10 ...
```

Andere Probleme...

- "Existing file is in the way"

Andere Probleme...

- "Existing file is in the way"
 - Backup machen, Datei löschen

Andere Probleme...

- "Existing file is in the way"
 - Backup machen, Datei löschen
- "Oh nein, mein System ist kaputt. Was habe ich geändert?"

Andere Probleme...

- "Existing file is in the way"
 - Backup machen, Datei löschen
- "Oh nein, mein System ist kaputt. Was habe ich geändert?"
 - Git nutzen

Andere Probleme...

- "Existing file is in the way"
 - Backup machen, Datei löschen
- "Oh nein, mein System ist kaputt. Was habe ich geändert?"
 - Git nutzen
- Lange Iterationszyklen

Andere Probleme...

- "Existing file is in the way"
 - Backup machen, Datei löschen
- "Oh nein, mein System ist kaputt. Was habe ich geändert?"
 - Git nutzen
- Lange Iterationszyklen
 - Hilft nix...